TOSHIBA

E-STUDIO™330AC/400AC

- > Color A4 Multifunction Printer
- > Up to 42 PPM
- > Small/Medium Workgroups
- > Copy, Print, Scan, Fax
- > Advanced Features
- > Customizable UI



BIG FEATURES IN A SMALL FOOTPRINT.

The amazing color and impressive features you'd expect to find on Toshiba's larger departmental MFPs are now available in a desktop model. Toshiba's e-STUDIO330AC/400AC provides the robust feature set of its full-size MFPs in a compact footprint, making this series an ideal candidate for small to mid-size workgroups. They will also lighten the load of the busiest workgroup systems. Like Toshiba's larger models, this series offers all the functions and applications you need to keep your business running smoothly – copy, print, scan, and fax, plus the same workflow-enhancing solutions.

People-pleasing performance.

We know deadlines can't wait. Your teams have contracts, presentations, and reports to produce. These machines ramp up quickly in 20 seconds (or less) and produce 35 and 42 Pages per Minute (PPM), respectively. While the 100-sheet Dual-Scan Document Feeder automatically adjusts for any skews as it scans 120 duplex Impressions per Minute (IPM). Scan Preview allows you to scan, rotate pages, or even change their order. For added efficiency, Print Around eliminates printing bottlenecks by allowing other print jobs to go around any job being held-up for a specific paper size, media type or even color toner if not available in the machine. And Limitless Job Reservation allows you to queue up multiple copy or print jobs.

Super easy to use.

The tilting 10.1" full-color, tablet-style touch screen with embedded web browser makes it easy to navigate features and functions. You may customize the user interface to your needs and simplify the menu structure to improve workflow and productivity. Cloud accessibility is built-in, simply print documents from the cloud, or scan to a folder, email or a variety of cloud-based applications. With Toshiba's Auto-Launcher, you may even scan and print from a USB quickly and easily. These machines will automatically notify you and the dealer when service or supplies are needed. And if you need any more help, you can access the manual right on the touch screen.

Paper handling that stacks up.

These machines are team players. They can accommodate heavy paper and two-sided printing. On their own, they offer 650-sheet capacity from two paper sources. If you want even more, an optional second cassette will add another 550 sheets. Still not enough? An optional base provides one or two additional 550-sheet cassettes, or an optional tandem Large Capacity Feeder (LCF) that provides 2,000 sheets instead for a maximum capacity of 3,200 sheets.

Strong and dependable.

This series is designed for minimal downtime with a maximum Monthly Copy Volume of 150,000 for color and monochrome printing, a high toner yield of 17,400 pages at five percent coverage, and periodic maintenance that can be done quickly.

True colors.

Let your output shine with proven, accurate color. Just as its larger systems, Toshiba's unique toner formulation and patented image technology enables these compact models to achieve a wider gamut of colors more accurately than found on competitive 4-color toner-based devices. Whether it's a boardroom presentation or your brand identity, the new e-STUDIO330AC/400AC will capture each color correctly in high-resolution up to 1,200 dpi. As sticklers for image quality, periodic auto-checks ensure colors remain consistent throughout long runs.

State-of-the-art security.

Whether you're protecting personal records, private data, or intellectual property, Toshiba knows security is a top priority. These machines are equipped with a 320GB Self-Encrypting Drive (SED) with Automatic Drive Invalidation and Data Overwrite capability for advanced protection. With the optional FIPS 140-2 Validated SED, the e-STUDIO330AC/400AC further attain Hardcopy Device Protection Profile (HCD-PP) certification, the latest benchmark in printer and MFP security.

Green machines.

This series not only has a compact footprint, but a compact carbon footprint. They are RoHS compliant, use recycled plastics, and have a Super Sleep (1W) Mode. They also reduce the environmental impact by being EPEAT Gold and Energy Star V 3.0 certified.



The e-STUDIO330AC/400AC Series is small enough for the desktop but big enough for the most demanding jobs with impressive features you'd expect to find on Toshiba's larger departmental MFPs.

TOSHIBA

A QUICK LOOK AT A COMPACT MACHINE.

Impressive Performance

- > 35 and 42 PPM, respectively
- 100-sheet dual-scan document feeder provides 120 duplex IPM
- > Fast, first-copy-out times at 7.2 for color and 5.7 for monochrome

Brilliant Image Quality

- High resolution up to 1,200 dpi color with 256 gradations
- Accurate color and fine detail
- Auto color calibration for consistent color across large print jobs

Broad Paper Handling

- 650-sheet standard with up to 3,200-sheet maximum capacity
- Heavy paper support through drawers and duplex up to 140-lb index
- Support for envelopes through the drawers

Unmatched Reliability

- 150K monthly copy volume and periodic maintenance intervals
- High toner yields of K: 18.4K & CMY: 17.4K @ 5% coverage
- Service Module Design allows for efficient maintenance

Easy to Use

- 10.1" Tablet-Style, Full-Color Tilting Touchscreen Panel
- > Customizable user interface
- Embedded web browser allows third-party document solutions within front panel

Innovative Technology

- Next generation e-BRIDGE technology enables third-party solutions integration and support
- Fast Intel dual-core processor with 4GB RAM and 320GB SED
- Optional fax with iFax capability













Like our larger models, this series offers all the functions and applications you need to keep your business running smoothly – copy, print, scan, and fax, plus the same workflow-enhancing solutions, all in a compact design to fit any size workspace.



E-STUDIO 330AC/400AC

Main Specifications

Copy System Indirect Electrostatic Photographic Method/OPC/Laser Printing/Heat

Roller Fusing

Display 10.1" Color WSVGA Touch Screen Tilting Display 35/42 PPM (LT)

Copy Speed First Copy Out Color: 7.2/6.3 Seconds Monochrome: 5.7/5.1 Seconds

Warm-Up Time Approx. 20 Seconds Copy Resolution 600 x 600 dpi

Stack Feed Bypass 3.9" x 5.8" to 8.5" x 14" (LG), Envelope Multiple Copying Up to 999 Copies Paper Capacity Standard 650 Sheets/Max. 3,200 Sheets

Standard 100-Sheet DSDF **Original Feed**

Scan Speed & Weights DSDF Scan: Up to 120 IPM Duplex, 60 IPM Simplex (Monochrome)

Up to 82 IPM Duplex, 41 IPM Simplex (Color), 9.3-28lb Bond

Max. Original Size

Paper Feed Sizes Drawer 1: 550 Sheets-ST-R to LG

Stack Feed Bypass: 100 Sheets-3.9" x 5.8" to 8.5" x 14" (LG) Opt. 550-Sheet Paper Feed Unit (up to 3)-ST-R to 8.5" x 14" (LG) Opt. 2,000-Sheet LCF (Pedestal Type)-LT Only Standard: 550 Sheets x 1-16 lb Bond-140 lb Index

Paper Weights

Stack Feed Bypass: 100 Sheets-14 lb Bond-140 lb Index Opt. 550-Sheet

Paper Feed Unit-16 lb Bond-140 lb Index Opt. 2,000-Sheet LCF (Pedestal Type)-16 lb Bond-140 lb Index

Standard Automatic Duplex Unit (16 lb Bond-140 lb Index) **Duplex**

Reproduction Ratio 25% to400% Max. 150K Month **Max Duty Cycle** Approx. 117 lb Weight

Approx. Dimensions 20.5" (W) x 21.3" (D) x 25" (H) CMYK Toner Yield CMY: 17.4K, BK: 18.4K @ 5% 120 Volts, 50/60 Hz, 12 Amps **Power Source Power Consumption** Maximum 1.5 kW (120 V) Intel ApolloLake™ E3930 (Dual-Core) CPU

Memory 4GB

Hard Disk Drive 320GB Self-Encrypting Drive

e-BRIDGE Next Print Specifications

PCL5e, PCL5c, PCL6 (PCL XL), PS3, PDF, XPS, JPEG 35/42 Pages Per Minute (LT) **Print Speed**

600 x 600 dpi (5bit), 1,200 x 1,200 dpi (Color/2bit) or 3,600 (Equivalence) x **Print Resolution**

Operating Systems

1,200 dpi (BW/with Smoothing) (PS3Only)
Windows Server® 2008 R2, R2 SP1, 2008/SP2, Windows® 8.1, 10,
Windows Server® 2012/R2, Windows Server® 2016, Macintosh® (macOS X

10.7.4, 10.8, 10.9, 10.10, 10.11, 10.12, 10.13), Unix®, Linux® TCP/IP (IPv4, IPv6), NetBIOS over TCP/IP, IPX/SPX® for Novell **Network Protocols**

Environments, EtherTalk for Macintosh Environments SMB, LPR/LPD, IPP (Ver. 2.0) w/Authentication, AppleTalk® PAP or **Printing Protocols**

EtherTalk, Port 9100 (Bi-Directional), NetWare P-SERVER LPD w/iPrint, WS Print, FTP

Windows Server® 2008 SP2 (32-bit, 64-bit) Windows Server® 2008 R2 **Print Drivers** SP1 (64-bit), SP1 (32-bit, 64-bit), Windows® 8.1 (32-bit, 64-bit), Windows

Server® 2012/R2 (64-bit), Windows Server® 2016, Windows® 10 (32-bit, 64-bit), macOS X 10.7.4, 10.8, 10.9, 10.10, 10.11, 10.12, 10.13 RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (High-Speed) Optional

Interface IEEE802.11b/g/n, Wireless LAN, Optional Bluetooth

Wireless Device AirPrint®, Mopria®, e-BRIDGE Print & Capture Application on iOS and

Android (Available via Apple® App Store or Google Play)
Up to 10,000 Users or 1,000 Departments Supports User Authentication **Account Control**

(on Device), Login Name/Password (via Windows® Domain) or Login Name/Password (via LDAP Server) for Copy, Print, Scan, Fax, List, and

User Function

Accessibility Features Tilt Front Panel, Job Programs, Universal Grip for Paper Trays, Disable

Screen Timeout and Audible Beep Message Alerts















*Requires FIPS 140-2 HDD

Security Features

User Authentication, SCEP, Disable e-Filing, Disable Copy, Disk Overwrite, IP Address Filtering (10 Sets), MAC Address Filtering (10 Sets), Network Service Control, Network Port Control, SMB Packet Signing, SSL/TLS (HTTP, IPP, LDAP, SMTP, POP, FTP, DPWS, SYSLOG), IPsec (IKEv1, IKEv2), Security Mode Change, CC Certified (ISO/IEC15408)* with HCD-PP v1.0*, IEEE802.1X (Wired/Wireless) Digital Signature for Client Utilities, Password Policy, Password Lock, Password Expiration, Self Testing, Job Access Control, Log Access Control for Job Log, Security Stamp, Role Based Access Control, Secure PDF, Digital Signature for Firmware Update, Integrity Check Function, Image Log, Card Authentication, NFC Authentication *Conformance with HCD-PPv1.0 in High Security Mode.

Environmental Stds. Certification

ENERGY STAR® (V3.0), EPEAT Gold, Californian Proposition 65 WHQL (Windows® 8, 8.1, 10, 2008 R2, 2012, 2012 R2), Novell®, Citrix®,

SAP, AirPrint® and Mopria®

Scan Specifications

DSDF Scan: Up to 120 IPM Duplex, 60 IPM Simplex (Monochrome) Scan Speed

Up to 82 IPM Duplex, 41 IPM Simplex (Color)

Standard: Full Color, Auto Color, Monochrome, Grayscale Scan Modes 600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi Monochrome: TIFF-Multi/Single Page, PDF-Multi/Single Page, **Scan Resolution File Formats** Searchable PDF (Opt.), XPS-Multi/Single Page, DOCX (Opt.), XLSX

(Opt.), PPTX (Opt.) Color/Grayscale: JPEG, TIFF-Multi/Single Page, PDF-

Multi/Single Page, Slim PDF

Image Compression Color/Grayscale: JPEG (High, Middle, Low)

Facsimile Specifications

Compatibility **Data Compression** MH/MR/MMR/JBIG Transmission Speed Approx. 3 Seconds Per Page

Fax Modem Speed Up to 33.6Kbps **Memory Transmission**

100 Jobs (with HDD), 2,000 Destinations Max. 400Destinations/Job 0.7 Seconds Per Page, Up to 120 IPM Duplex, 60 IPM Simplex (Monochrome or Color)

e-Filing Specifications

Operation Method Number of Boxes Capacity of Boxes

Scan Speed

Color Touch Screen Control Panel or Client PC 1 Public Box, 200 Private User Boxes 100 Folders Per Box. 400 Documents Per Folder/Box.

200 Pages Per Document

Accessories (Options)

Paper Feed & Finishing Options	
Paper Feed Unit	MY1050
2,000 Sheet LCF	KD1071
Spacer	GR1380
Caster	GR1390
Offline Stapler	MJ1047

Connectivity Options

FAX Unit	GD1370N
FIPS 140-2 HDD	GE1230
Wireless LAN Bluetooth Option	GN4030

Miscellaneous Options

Panel 10 Key Option 10.1"	GR1340
Card Reader Holder	GR1400
Harness for Coin Controller	GQ1280N
Stand	STAND400
Power Filter, 120V/15A.	

PWRFLTR-S1 Compact, 1 Receptacle

Software Options

GP1080NODE GP1190NODE **IPsec** Hardcopy Security GS1007NODE Unicode Font GS1010NODE Metascan GS1080NODE GS1090NODE Embedded OCR 1 License Multi-Station Print 1 License Fax Over IP GS1100NODE e-BRIDGE Replicator Ex GB1550NODE e-BRIDGE Job Point Ex e-BRIDGE Job Separator Ex GB1560NODE GB1590NODE e-BRIDGE Plus

for Exchange Online V3.0 GB2320NODE e-BRIDGE Job Build Ex GB1610NODE e-BRIDGE Plus for Onedrive GB2300NODE

for Business V3.0 e-BRIDGE Plus

for Sharepoint Online V3.0 GB2310NODE GB2380NODE

e-BRIDGE Plus for Gmail e-BRIDGE Plus for Google Drive GB2390NODE e-BRIDGE Plus for Docuware GB2430NODE

Designs and specifications are subject to change without notice. Specifications may vary by conditions of use and/or environmental usage. For best results and reliable performance, always use supplies manufactured or designated by Toshiba. Not all options and accessories may be available at the time of product launch. Please contact a local Authorized Toshiba Dealership for availability. Toner yields are estimates based on 5% coverage of a Letter-sized page. Driver and availability. Total yields are estimates based on 3% coverage of a Letter-sized page. Oriver and connectivity feature support varies by client/network operating system. Product names may be trademarks of their respective companies. AirPrint® and the AirPrint® logo are trademarks of Apple Inc. This is a Class 1 laser product complying with IEC60825-1. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and.

Corporate Office

South

West Coast

25530 Commercentre Drive, Lake Forest, CA 92630 Tel: 949-462-6000 **East Coast** 959 Route 46 East, 5th Floor, Parsippany, NJ 07054

Tel: 973-316-2700 Midwest

8770 W. Bryn Mawr Ave., Suite 700, Chicago, IL 60631

Tel: 773-380-6000

2037 Bakers Mill Rd., Dacula, GA 30019 Tel: 678-546-9385

25530 Commercentre Drive, Lake Forest, CA 92630 Tel: 949-462-6000

Web Site www.business.toshiba.com