Leading Innovation >>>

E-STUDIO 2505 AC E-STUDIO3005AC E-STUDIO3505AC E-STUDIO 4505AC E-STUDIO 5005AC

Product brochure

- > Toshiba's state-of-the-art multifunction A3 colour systems, with impressive features for outstanding document output at speeds of up to 50 ppm.
- > The tablet style user interface not only makes the systems intuitive to use, it can also be customised according to business requirements.
- > Designed for modern office environments the e-STUDIO5005AC series is ready for mobile printing.





CONNECT. INTEGRATE. SIMPLIFY.

Technology for every office, delivering advanced functionality, ease of use and peace of mind.

Every industry has unique workflow needs. Toshiba has developed customisable MFPs to make your job easier. Intuitive and smartly integrated, our products simplify complex tasks and give you control while providing the reliability Toshiba is known for.

Toshiba's latest series delivers on our promise of Together Information – our commitment to collaborate with clients in order to provide tailored, cost-effective solutions to meet specific print, document management and content needs while helping you to meet your green objectives.

Colour commands attention. Technology makes it possible.

It's important that an MFP is powerful, reliable, and efficient. Combine this with brilliant colours and you have even more ways to make your documents impactful.

- Advanced Toshiba e-BRIDGE controller technology for high-quality document output in colour and monochrome
- > RGB substitution allows accurate colours with office applications
- > Auto-calibration ensures consistency of colour across small and large print jobs



TOSHIBA TECHNOLOGY NEVER LOOKED BETTER.

Keeping medium to large workgroups in mind, the e-STUDIO5005Ac series is easily integrated, customisable and solutions ready, with its open platform architecture.

Flexible integration with third-party solutions applications, an embedded web browser brings the workflow to one location.

Toshiba's exclusive e-BRIDGE Print & Capture application enables you to use your mobile device to take advantage of the broad feature set of our MFPs — whether in the office or on the go.

The universal driver provides fast and easy connectivity and works on all Toshiba e-BRIDGE models. You can choose from a variety of time-saving, function-adding plug-ins that enable productivity from the driver. For instance:

- e-BRIDGE Job Point
 Quickly split up large jobs with up to 10 Toshiba MFPs
- e-BRIDGE Job Replicator
 Use multi-part form replacement (3 prints)
- e-BRIDGE Job Separator
 Perform batch printing easily using any
 Microsoft Office programme
- e-BRIDGE Job Build
 Conveniently print different document types all together as a single job

Industry-Leading Security

Along with all of the new and innovative Toshiba technologies, we ensure that the security of your business is a priority.

- The self-encrypting Toshiba Secure HDD provides top level security
- By adding optional security functions the systems become compliant with IEEE2600.1 and meet the EAL3 Common Criteria requirements
- IPsec is available to securely encrypt data sent to and from the MFP

World-Leading Environmental Standards

Our innovative approach makes certain that our environment is part of the equation.

- > RoHS compliant; use of recycled plastics and a low-power Super Sleep Mode to save resources
- Being ENERGY STAR Tier 2 compliant means the systems meet the latest, most stringent environmental requirements



COMPACT, STYLISH AND FULLY CUSTOMISABLE

The e-STUDIO5005Ac series is packed with industry-leading technology and innovations designed to help workgroups connect, integrate and simplify all within a compact footprint.

Dual Scan Document Feeder is an option which holds an amazing 300 originals and boasts an impressive 240 images per minute (ipm) by scanning both sides of the page in a single pass.

Multi Station Print Solution* allows you to send print jobs from your desktop and retrieve them at any convenient MFP by authenticating at that device, e.g. by simply swiping an ID card.

Print Around eliminates printing bottlenecks by allowing other print jobs to go around one job that's held-up due to requiring a specific paper size or type.

Job Reservation will gueue up multiple copy or print jobs so users can send jobs whenever.

Embedded Optical Character Recognition* (OCR) simplifies the creation of searchable PDFs or prepares for editable document formats such as Microsoft Word.

Saddle/Fold Capabilities offer saddle-stitch finishing and the option to fold without stapling.

Large Paper Formats from the Cassette provide the ability to also print SRA3 and upto a maximum size of 320 x 460 mm.

Scan to and Print from USB lets you print straight from your USB drive or scan documents to it.

Mobile Printing connects these systems with your mobile devices via AirPrint, Google Cloud Print or the Mopria Print Service.






Customised to display up to 18 icons per page and with a different background



Display icons as buttons to easily access functions or start workflows.

CONFIGURATION



HIGHLIGHTS

Advanced e-BRIDGE Technology

Toshiba's next-generation e-BRIDGE architecture features an embedded web browser, 4 GB RAM and the Toshiba secure hard disk drive enabling the MFP to easily drive Toshiba's internally developed solutions as well as third-party applications.

Embedded Apps

The optional e-BRIDGE Plus connectors for Microsoft OneDrive, Google Drive and Dropbox let you send your documents directly to or print from these cloud services via the MFP.

Card Readers

A choice of optional card readers not only gives you fast and convenient access to your print jobs but also increases data security.

SPECIFICATIONS

General

Print & Copy Speed 25/30/35/45/50 ppm (A4) 15/16/18/22/25 ppm (A3)

Warm-up Time Approx. 12 seconds from low power mode

Paper Size & Weight Cassette 1: A5R-A3, 60-256 gsm

Cassette 2: A5R-320 x 460 mm, 60-256 gsm Bypass: 100 x 148 mm-320 x 460 mm, 52-280 gsm, banner paper (up to 305 x 1,200 mm, 90-163 gsm)

Paper Capacity 2x 550 sheets (Cassettes), 1x 100 sheets (Bypass)

Maximum 3,200 sheets

Inner Output Tray 400-sheet capacity **Automatic Duplex** A5R-A3, 60-256 gsm Toshiba e-BRIDGE Controller Type

Control Panel 22.8 cm (9") Multi-Touch Colour Panel Toshiba Secure HDD 320 GB1), 4 GB RAM Memory

Interface 10Base-T/100Base-TX/1000Base-T,

High Speed USB 2.0, WLAN2 (IEEE802.11b/g/n),

Bluetooth2). WiFi Direct2)

Dimensions & Weight 585 x 640 x 787 mm (W x D x H), ~ 75.5 kg

Print

Resolution 600 x 600 dpi,

1,200 x 1,200 dpi (2 bit, PostScript driver only), 3,600 x 1,200 dpi with smoothing (PostScript driver

only, monochrome)

Page Description Language

PCL5e, PCL5c, PCL6 (PCL XL), XPS and

PostScript 3 compatible

Supported Systems

Windows 10/8/7/Vista/Server 2008 (32/64 bit), Windows Server 2012/Server 2008 R2 (64 bit), Mac OS X 10.6.8-10.11, Linux/Unix, Citrix, Novell NetWare

(NDPS), SAP, AS/400

Network Protocols

TCP/IP (IPv4/IPv6), IPX/SPX, EtherTalk, NetBios over

Colour Modes Auto-Colour (ACS), Colour, Twin Colour, Monochrome **Colour Settings** ICC profile colour management, RGB substitution, Brightness, Saturation, Contrast, Colour Balance

e-BRIDGE Print & Capture, AirPrint, **Mobile Printing**

Mopria Print Service, Google Cloud Print

Print Functions Universal Printer Driver, Driver Templates, Driver plug-ins2), Print from USB, Hold print, Tandem printing

Copy

Scan: 600 x 600 dpi Resolution

Print: 600 x 600 dpi, 2,400 x 600 dpi with smoothing

First Copy Output Time Colour: Approx. 7.8/7.8/7.8/5.7/5.7 seconds

Monochrome: Approx. 5.9/5.9/5.9/4.4/4.4 seconds

Zoom 25-400% (Platen), 25-200% (RADF/DSDF)2

Text, Text/Photo, Photo, Printed Image, Map, Copy Modes

Image Smoothing

Colour Modes Auto-Colour (ACS), Full Colour, Twin Colour,

Mono Colour, Monochrome

Colour Settings Hue, Saturation, Colour Balance, RGB adjustment

5 one-touch modes

Electronic Sort, Rotate Sort, ID Card Copy, **Copy Functions**

Edge Erase, 2-in-1 / 4-in-1 mode

Fax²⁾

Super G3, G3 - (opt. 2nd line), Internet Fax T.37 Communication

Transmission Speed Approx. 3 seconds per page JBIG, MMR, MR, MH Compression

Fax Memory 1 GB Transmission/Reception

Network-Fax Driver for Windows 10/8/7/Vista/Server 2008

(32/64 bit), Server 2012/Server 2008 R2 (64 bit)

To shared folders (SMB, FTP, IPX/SPX), E-Mail,

e-Filing

System & Security

Device Management

Incoming Fax Routing

e-BRIDGE Fleet Management System2). Top Access for remote administration and configuration

System Features

e-Filing document server for secure storage, Document distribution and Print-on-Demand (1 public box, 200 user boxes), 12,060 one-touch templates for storage of personalised settings or workflows, Scan/Fax Preview, Rip-while-Print, e-BRIDGE Open Platform²⁾, Embedded Web

Browser, Job Skip

Accounting & Security

Role Based Access, LDAP support, 1,000 department & 10,000 user codes, Card Reader2), Private print, Standard data encryption with Toshiba Secure HDD, Data Overwrite Enabler2), IP and MAC address filter, Port filter, Support of SSL and IPsec2) protocols, IEEE802.1x support, IEEE2600.1 compliant2), Scan to Secure PDF

Scan

Resolution Maximum 600 x 600 dpi

Reversing Automatic Document Feeder²⁾: Scan Speed

up to 73 ipm (300 dpi) in colour and monochrome

Dual Scan Document Feeder²⁾

up to 240 ipm (300 dpi) in colour and monochrome

Scan Modes Auto-Colour (ACS), Colour, Greyscale, Monochrome

File Formats JPEG, Multi/Single Page TIFF/XPS/PDF,

Secure PDF, Slim PDF, PDF/A, Searchable PDF2) (and other formats like DOCX, XLSX, RTF, TXT)2)

WS Scan, Scan to USB, Scan to E-Mail, Scan to File (SMB, FTP, FTPS, IPX/SPX, Local), Meta Scan², Scan Functions

OCR scan2, Scan to Box (e-Filing), WIA, TWAIN

OPTIONS

REVERSING AUTOMATIC DOCUMENT FEEDER

100-sheet capacity, A5R-A3, 35-157 gsm

DUAL SCAN

DOCUMENT FEEDER

300-sheet capacity, A5R-A3, 35-209 gsm

PAPER FEED PEDESTAL

550-sheet capacity (1 Cassette), A5R-320 x 460 mm, 60-256 gsm

DRAWER MODULE

For Paper Feed Pedestal 550-sheet capacity (1 Cassette) A5R-320 x 460 mm, 60-256 gsm

ENVELOPE DRAWER

For Paper Feed Pedestal or 2nd cassette Envelopes: 50-envelope capacity, 100 x 162 mm-240 x 380 mm, 60-85 gsm Paper: 550-sheet capacity (1 Cassette), A5R-A4R, 60-256 gsm

LARGE CAPACITY FEEDER

2,000-sheets capacity, A4, 64-105 gsm

INNER FINISHER

2 trays, 600-sheet capacity 50-sheet multi-position stapling A4R-A3, 64-105 gsm (stapling mode)

MULTI-STAPLE FINISHER

2 trays, 2,250-sheet capacity 50-sheet multi-position stapling A4R-A3, 60-105 gsm (stapling mode)

SADDLE-STITCH FINISHER

2 trays, 3,250-sheet capacity 50-sheet multi-position stapling

5-sheet center folding

Saddle-stitched booklets of up to 60 pages A4R-A3, 60-105 gsm (stapling mode)

HOLE PUNCH UNIT

Available in 2 holes (E), 4 holes (F)

PLATEN COVER

DESK

JOB SEPARATOR

FAX BOARD

WIRELESS LAN / BLUETOOTH MODULE (incl. WiFi Direct)

e-BRIDGE ID-GATE
ACCESSORY TRAY

PANEL TEN-KEY OPTION

WORK TRAY

DATA OVERWRITE ENABLER

IPsec ENABLER

EMBEDDED OCR ENABLER
MULTI STATION PRINT ENABLER
HARD COPY SECURITY KIT
META SCAN ENABLER
UNICODE FONT ENABLER

e-BRIDGE RE-RITE ACCESSIBLE ARM

















¹⁾ 1 GB = 1 billion bytes; the actual formatted capacity is less. Available capacity will also be less if software applications are pre-installed.

About Toshiba TEC

Toshiba TEC UK Imaging Systems LTD is part of the globally operating Toshiba TEC Corporation, active in various high-tech industrial sectors.

Toshiba TEC Corporation is a leading provider of information technology, operating across multiple industries. With headquarters in Japan and over 80 subsidiaries worldwide, Toshiba TEC Corporation helps organisations transform the way they create, record, share, manage and display information.

For more information please contact us:

TOSHIBA TEC UK IMAGING SYSTEMS LTD

Abbey Cloisters, Abbey Green, Chertsey, Surrey KT16 8RB

Telephone

+44 (0)843 2244944

info@toshibatec.co.uk

Website

www.toshibatec.co.uk











This Class 1 laser product complies with IEC60825-1. Technical data is subject to change without prior notice. All company and/or product names are trademarks and/or registered trademarks of their respective manufacturers in their markets and/or countries. All rights reserved. We are constantly making efforts to deliver the latest status of data to our partners. Specifications for some models may change in the time between the production and the release of this documentation.

Productivity and paper specifications are related to paper size of A4 and a paper weight of 80 gsm if not otherwise mentioned. Copyright ©2016 TOSHIBA TEC. BR_e-STUDIO5005Ac series_201605 6BY0COP1609

