

CONNECT INTEGRATE SIMPLIFY

e-STUDIO™ 5506AC

e-STUDIO™ 7506AC

- > Colour Multifunction Printer
- > Up to 75 PPM
- > Large Workgroup
- > Copy, Print, Scan, Fax
- > Secure MFP
- > Solutions Ready



CONNECT. INTEGRATE. SIMPLIFY.

Technology for every office, delivering advanced functionality, ease of use and peace of mind.

Every industry has unique workflow needs. Toshiba has developed customisable MFPs to make your job easier. Intuitive and smartly integrated, our products simplify complex tasks and give you control while providing the reliability Toshiba is known for.

Toshiba's latest series delivers on our promise of Together Information – our commitment to collaborate with clients in order to provide tailored, cost-effective solutions that meet your print, document management and content needs while helping you meet your green objectives.

- Speeds of 55 & 75 PPM Colour
- High-resolution and high-volume colour
- High-volume black & white
- Advanced e-BRIDGE Next technology
- Fast dual-core processor

Sleeker, faster, and more versatile than ever.

This year, Toshiba is introducing a new, sleek lineup that's as impressive on the outside as it is on the inside. Its ultra-modern look houses the latest innovative technology, like brilliant, multi-beam laser colour delivered at up to 75 pages per minute as well as black and white up to 85 pages per minute.

- 1,200 dpi x 1,200 dpi, 2bit colour (PostScript 3) for genuine laser quality
- 600 dpi x 600 dpi, 5bit colour in image smoothing mode, colour mode
- e-BRIDGE Colour Profile Tool provides accurate Pantone or unique colour matching options
- New high-speed, high-capacity Dual-Scan Document Feeder
- Up to 600K maximum monthly copy volume

Simple, smart and stylish.

A new 9" tablet-style touch screen with an embedded web browser is easy to use and customisable to meet your needs. And, it is part of the bold new look being introduced across the e-STUDIO series.



INNOVATIVE FEATURES, VERSATILE CONNECTIVITY.

The Toshiba e-STUDIO7506AC series helps workgroups connect, integrate and simplify while improving efficiency, productivity and the professionalism of presentations.

Higher Robust Speeds include 55/75 brilliant colour pages per minute and 65/85 monochrome pages per minute, respectively.

Fast Dual-Scan Document Feeder handles up to 300 sheets at a time and seamlessly scans both sides of each page in a single pass to produce a full 240 images per minute (IPM).

Fast First Copy Out Times include 6.4/5.4 seconds for full-colour printing and 5.2/4.1 seconds (respectively) for black and white printing.

9" Tablet-Style Touch Screen works intuitively, helping you access instructions, functions, and commands with the swipe of the finger.

Banner Printing produces impressive signage as large as 313.4 x 1,200 mm using our unique AquaAce media.

Print Around eliminates printing bottlenecks by allowing other print jobs to go around one job that's held-up due to requiring a specific paper size, type or, in some cases, colour toner.

Limitless Job Reservation will queue up multiple copy or print jobs so users can send jobs whenever.

Saddle/Fold Capabilities offer saddle-stitch finishing and the ability to fold without stapling.

Scan-to and Print-from USB lets you print straight from your USB drive or scan documents to it.

Advanced e-BRIDGE Next Technology enables the MFP to drive Toshiba's internally developed embedded solutions or those from a third party with ease.

Notifications Feature takes the hassle out of checking for depleted supplies or maintenance needs.

Paper Volume Indicators on the front panel make it easy to see the paper sizes, types and levels in each cassette.

Context-Sensitive Help Button provides instant, thorough explanations straight from the manual to help as needed.



TOSHIBA INNOVATION AT ITS FINEST.

When it comes to seamless workflow and simplified integration, the e-STUDIO7506AC series represents the finest Toshiba has to offer. The latest e-BRIDGE Next technology enables complete third-party integration and support for internally driven solutions. A universal driver along with PCL 6, PS3, and XPS support provide fast and easy connectivity to Windows®, Macintosh® and more.

AirPrint and Mopria support means mobile users can print to the MFP with ease. The e-BRIDGE Print & Capture application provides additional capabilities including the ability to scan from the MFP back to your mobile device. Also, a Dual-Line Fax option can handle heavy fax volumes with ease.

Cloud Support

New Scan-to-Cloud and Cloud Print capabilities increase productivity by allowing users to access, store and print documents remotely from the MFP. Whether it's Dropbox, OneDrive or Google Drive, the new e-STUDIO7506AC series makes scanning to these cloud-based locations a breeze, while embedded support for Google Cloud Print enables easy printing to the MFP from anywhere you may be.

Advanced Security

Even more important than functionality is the security offered by the e-STUDIO7506AC series. Such technological advancements include:

- A 320GB Self-Encrypting Drive (SED) with Automatic Drive Invalidation (ADI) & Data Overwrite capability provides top level security
- IPsec is available to securely encrypt data sent to and from the MFP

Environmental Responsibility

Because we have been working to protect the environment as well as your security, you can rest assured Toshiba has what it takes to protect both.

- RoHS compliance, the use of recycled plastics, and Low-Power (0.7W) Super Sleep Mode work to help the environment
- EPEAT Gold Registered in the global registry for greener electronics, designed to help purchasers choose products that reduce environmental impact
- Energy Star V2.0 meets the latest, more stringent requirements



IMPRESSIVE EVEN BEFORE YOU TURN IT ON.

1 Accessory Tray & Keyboard Options

GR1250 – Accessory Tray
GR1260 – 10 Key Numeric Keypad

2 Finishing Options

MJ1111 – 50-Sheet Console Finisher
MJ1112 – 50-Sheet Saddle Stitch Finisher
MJ6106 – Hole Punch Unit
KA6551ET – Side Exit Tray

3 Connectivity Options

GD1370 – Fax Unit/2nd Line for Fax Unit
GN4020 – Wireless LAN/Bluetooth Module

4 Additional Paper Options

MP2502A – 2,500 Sheet Large Capacity Feeder

Additional Option Highlights

- IPsec Security Enabler
- Multi-Station Print Enabler
- Embedded OCR Enabler
- Data Overwrite Enabler
- Meta scan Enabler
- Unicode Font Enabler
- Hardcopy Security Kit
- Wireless LAN/Bluetooth
- Single & Dual-Line Facsimile
- Hidden Card Reader Pocket
- Expansive Third-Party Solutions List



Toshiba's e-STUDIO7506AC series offers the best of the best, enabling large workgroups to improve productivity and connectivity while simplifying the overall workflow.

Double the Scan Speed

A 300-sheet high-speed, high-capacity Dual-Scan Document Feeder (DSDF) produces up to 120 IPM simplex and 240 IPM duplex.

Wireless LAN/Bluetooth

Bluetooth feature provides support for a wireless keyboard to simplify workflow processes at the MFP, while the WiFi capability enables WiFi-Direct printing making it ideal for mobile users

Volumes and Volumes

A high monthly copy volume is 480K/600K respectively. Impressive toner yields are 39,200 colour and 106,600 black and white (each at 5%).

Multi-Station Print Enabler

Toshiba's internally developed Multi-Station Print Enabler allows users to send print jobs from their desktop and retrieve them at any available MFP by simply swiping their badge and authenticating at that device.

Advanced e-BRIDGE Next Technology

Built on Linux®, this latest generation e-BRIDGE Next architecture features an Embedded Web Browser, an Intel Atom dual-core processor, 4GB RAM and a 320GB Self-Encrypting Drive Toshiba Secure HDD enabling the MFP to easily drive Toshiba's internally developed solutions or even third-party applications.

e-STUDIO™ 5506AC/7506AC

Main Specifications

Copy System	Indirect Electrostatic Photographic Method
Display	9" Colour WVGA Touch Screen Tilting Display
Copy Speed	eS5506AC: 55/65 cpm eS7506AC: 75/85 cpm (Colour/Mono) (A4)
First Copy Out	5506AC: 5.2/6.4 seconds 7506AC: 4.1/5.4 seconds (B&W/Colour)
Warm-Up Time	Approx. 20 seconds
Copy Resolution	600 x 600 dpi
Stack Feed Bypass	100 x 148 mm to 320 x 460 mm, 305 x 1,200 mm Banner, Envelope
Multiple Copying	Up to 9,999 Copies
Paper Capacity	Tandem Drawer: Standard 3,520 Sheets / Max. 6,020 Sheets
Original Feed	Standard 300-Sheet DSDF
Scan Speed & Weights	DSDF Scan: Up to 240 ipm Duplex, 120 ipm Simplex (Monochrome or Colour), Simplex: 35 - 209 gsm Index, Duplex: 35 - 209 gsm Index
Max. Original Size	A3
Paper Feed Sizes/Weights	Drawers A3 - A5R / 60 - 256 gsm Tandem LCF A4 / 60 - 256 gsm Stack Feed Bypass (Multi feed) 13" x 19" - A6R / 60 - 300 gsm Banner (313.4 x 1200 mm) / 90 - 163 gsm Duplex 320 x 460 mm - A5R / 60 - 256 gsm LCF (Opt. MP-2502A) A4 / 60 - 256 gsm DSDF Simplex A3 - A5R / 35 - 209 gsm DSDF Duplex A3 - A5R / 35 - 209 gsm
Reproduction Ratio	25% to 400%
Weight	Approx. 213 kg (Incl. Drum / Developer)
Approx. Dimensions	Control Panel angle 90 degree W955 x D698 x H1,227 (mm) Control Panel angle 7 degree W955 x D733.5 x H1,227 (mm)
Toner Yield	K: 106,600 @ 5%, C: 39,200 @ 5%
Power Consumption	Max. 2.4kW (230-240V)
CPU	Intel Atom™ 1.75 GHz (Dual-Core)
Memory	4GB
Hard Disk Drive	320GB Self-Encrypting Drive Toshiba Secure HDD

e-BRIDGE Next Print Specifications

PDL	PCL5e, PCL5c, PCL6 (PCL XL), PS3, PDF, XPS, JPEG
Print Speed	eS5506AC: 55/65 cpm eS7506AC: 75/85 cpm (Colour/Mono) (A4)
Print Resolution	600 x 600 dpi (5 bit), 1,200 x 1,200 dpi (Colour/2 bit) or 3,600 x 1,200 dpi (BW/with Smoothing) PS3 Only
Operating Systems	Windows® Vista (SP2), Windows® 7 (SP1), 8, 8.1, 10, Windows Server® 2008 (SP2)/R2, Windows Server® 2012/R2, Macintosh® (Mac OS X 10.4.11, 10.5.7, 10.6.8, 10.7.4, 10.8, 10.9, 10.10, 10.11), Unix®, Linux®
Network Protocols	TCP/IP (IPv4, IPv6), NetBIOS over TCP/IP, IPX/SPX® for Novell® Environments, EtherTalk® for Macintosh Environments
Interface	RJ-45 Ethernet (10/100/1000 Base-T), USB 2.0 (High-speed) Optional 802.11b/g/n, Wireless LAN, Optional Bluetooth
Wireless Device	AirPrint™, Mopria®, e-BRIDGE Print & Capture Application on iOS and Android (Available via Apple App Store or Google Play)
Device Management Account Control	TopAccess, EFMS 6.2 (e-BRIDGE Fleet Management Software) Up to 10,000 users or 1,000 Departments Supports User Authentication (on Device), Login Name/Password (via Windows domain) or Login Name/Password (via LDAP Server) for Copy, Print, Scan, Fax, List, and User Function
Environmental Stds. Certification	Energy Star (V2.0), EPEAT Gold, RoHS WHQL (Windows 7, 8, 8.1, 10, 2008 R2, 2012, 2012 R2), Novell, Citrix, SAP



This is Class 1 laser product complying with IEC60825-1.

Windows is a registered trademark of Microsoft Corporation in the United States and other countries. iPad, iPhone, iPod, and iPod touch are trademarks of Apple Inc., registered in the U.S. and other countries. AirPrint and the AirPrint logo are trademarks of Apple Inc. IOS is a registered trademark of Cisco in the United States and other countries and is used under license. Android is a trademark of Google Inc. All other brand and/or product names are trademarks of their respective owners. Mention of third party products herein is for informational purposes only.

This brochure was compiled based on information that was accurate prior to product launch. Product design and specifications are subject to change without notice. The colour(s) of the actual product may vary from the colour(s) shown in this brochure. No part of this material may be used or reproduced in any manner whatsoever without permission. 1GB is equivalent to 1 billion bytes. Warm-up time and print speed may vary depending on the operating environment. ©2016 TOSHIBA TEC CORPORATION All rights reserved.

As an ENERGY STAR Partner TOSHIBA TEC CORPORATION has determined that this multifunctional device model meets the ENERGY STAR guidelines for energy efficiency.

TOSHIBA TEC SINGAPORE.
www.estudio.com.sg

Toshiba TEC Singapore Pte Ltd

Ang Mo Kio Street 62
Singapore 5691382
Tel : (65) 6481 9488
Fax : (65) 6481 2385

Scan Specifications

Scan Speed	DSDF Scan: Up to 240 ipm Duplex, 120 ipm Simplex (Monochrome or Colour)
Scan Modes	Standard: Full Colour, Auto Colour, Monochrome, Greyscale
Scan Resolution	600 dpi, 400 dpi, 300 dpi, 200 dpi, 150 dpi, 100 dpi
File Formats	Monochrome: TIFF-Multi/Single Page, PDF-Multi/Single Page, XPS-Multi/Single Page, DOCX-Multi/Single Page, XLSX-Multi/Single Page, PPTX-Multi/Single Page(Opt.) Colour/Greyscale: JPEG, TIFF-Multi/Single Page, PDF-Multi/Single Page, Slim PDF-Multi/Single Page, XPS-Multi/Single Page, DOCX/XLSX/PPTX-Multi/Single Page(Opt.)

Facsimile Specifications

Compatibility	Super G3
Data Compression	MH/MR/MMR/JBIG
Transmission Speed	Approx. 3 seconds per page
Fax Modem Speed	Up to 33.6 kbps
Memory Transmission	100 Jobs (with HDD), 2,000 Destinations Max. 400 Destinations/Job
Scan Speed	0.7 seconds per page, Max. 73 ipm

e-Filing Specifications

Operation Method	Colour Touch Screen Control Panel or Client PC
Number of Boxes	1 Public Box, 200 Private User Boxes
Capacity of Boxes	100 Folders Per Box, 400 Documents Per Folder/Box, 200 Pages Per Document


Accessories (Options)

Finishing Options	MJ-1111	Miscellaneous Options	GR-1290
Finisher	MJ-1112	Card Reader Holder	GP-1190A
Saddle Stitch Finisher	KN-1103	Hardcopy Security Kit	GQ-1270
Finisher Guide Rail	MJ-6106	Harness Kit for Card Controller	GQ-1280
Hole Punch Unit	KA-6551-ET	Harness Kit for Coin Controller	KK-5008
Side Exit Tray	STAPLE-2400	Manual Pocket	KK-2560
Staple cartridge for Finisher	STAPLE-3100	Accessible Arm	
Staple cartridge for Saddle			

Additional Paper Options	MP-2502A
External Large Capacity Feeder	

Connectivity/Security Options	GP-1070
Data Overwrite Enabler	GS-1010
Meta Scan Enabler	GP-1080
IPSec Enabler	GS-1007
Unicode Font Enabler	
Embedded OCR Enabler	GS-1080
Single License	GS-1085
Five License	
Multi-Station Print Enabler	GS-1090
Single License	GS-1095
Five License	GR-1250
Accessory Tray	GR-1260
Panel Ten-Key Option	GD-1370
FAX Unit/2nd Line	GN-4020
Wireless LAN/Bluetooth Module	GP-1190A
Hardcopy Security Kit	

Distributed by



All company and/or product names are trademarks and/or registered trademarks of their respective owners. All features and specifications described in this brochure are subject to change without notice.

©2016 TOSHIBA TEC CORPORATION. All rights reserved.

R140611P0200-TTEC